

COMMANDMENTS FOR GOOD BATTERY CARE

SAFETY FIRST

WEAR EYE AND FACE PROTECTION WHEN WORKING ON BATTERIES

BEFORE CHARGING

1. CLEAN AND DRY BATTERY TOP
2. CHECK ELECTROLYTE LEVEL IN ALL CELLS. IF ELECTROLYTE LEVEL IS OFF, ADD WATER TO COVER THE MOSS GUARD ONLY **(CALL BASIC ENERGY PRIOR TO DOING SO)**

DURING CHARGING

3. CHARGE BATTERY IN A VENTILATED AREA AWAY FROM SPARKS AND OPEN FLAME
4. OPEN BATTERY COVER BUT KEEP VENT CAPS ON
5. DO NOT ALLOW BATTERY TEMPERATURE TO GO ABOVE 120° F

AFTER CHARGING

6. ALLOW BATTERY TO REST, ADD ENOUGH WATER TO MAINTAIN LEVEL APPROXIMATELY HALF INCH BELOW THE CELL COVERS
7. REMOVE SPILLED ELECTROLYTE FROM THE BATTERY TOP
8. ALLOW BATTERY TO FULLY COOL DOWN BEFORE USE

BASIC MAINTENANCE

9. ADD WATER, NEVER ACID
10. FINAL WATER ADJUSTMENT SHALL BE AFTER CHARGING
11. USE CHARGER COMPATIBLE WITH THE BATTERY CAPACITY, IF POSSIBLE USE AUTOMATIC CHARGERS
12. CHARGE BATTERY FOR 8 HRS. AND USE BATTERY FOR 8 HRS
13. RECORD CELL VOLTAGE AND ELECTROLYTE GRAVITY AT LEAST ONCE A MONTH LOW GRAVITY MAY INDICATE A BAD OR WEAK CELL

BASIC ENERGY, INC.

WWW.BASICENERGYINC.COM ❖ (714) 436 – 1306

MANDAMIENTOS PARA UNA BUENA ATENCIÓN DE BATERÍA

SEGURIDAD PRIMERO

USAR ANTEOJOS DE SEGURIDAD Y PROTECTOR DE CARA CUANDO SE TRABAJE EN LAS BATERIAS

ANTES DE CARGAR LA BATERIA

1. MANTENER SECO Y LIMPIO ARRIBA DE LA BATERIA
2. CHECKEAR QUE TODOS LOS TAPONES DE LAS CELDAS ESTEN EN SU LUGAR
(LLAMA A BASIC ENERGY ANTES DE AGREGAR AGUA)

DURANTE LA CARGA

3. CARGAR LA BATERIA EN UNA AREA VENTILADA LEJOS DE CHISPAS
4. ABRIR LA CUBIERTA DEL FORKLIFT
5. PARE DE CARGAR LA BATERIA SI LA TEMPERATURE ES EN EXCESO 120° F

DESPUES DE CARGAR

6. AGREGAR SUFICIENTE AGUA PARA MANTENER LOS NIVELES ADECUADOS
7. REMOVER AGUA DERRAMADA DE LA TAPADERA DE LA BATERIA
8. DEJAR QUE LA BATERIA ENFRIE ANTES DE USARLA

MANTENIMIENTO BASICO

9. AGREGAR AGUA, NO ACIDO
10. AJUSTE DE AGUA DEBERA SER DESPUES DE HABER CARGADO LA BATERIA
11. USAR CARGADOR QUE SEA COMPATIBLE CON SU BATERIA
12. CARGAR LA BATERIA HASTA 8 HORAS, DEJARLA DESCANZAR POR 8 HORAS, USAR POR 8 HORAS
13. REPORTAR BATERIAS QUE TENGAN MAL ODOOR, POCA DURACION O QUE USEN MUCHA AGUA

BASIC ENERGY, INC.

WWW.BASICENERGYINC.COM ❖ (714) 436 – 1306